

Contaminant	Sediment Filter	In Line Carbon Filters	Granulated Carbon (GAC)	GAC with KDF	Solid Block Carbon	Modified Carbon Block	Ceramic and Carbon D-UC	Resin Based Filters	Ceramic Filters	UV Light	Reverse Osmosis	Water Softener
Sediment	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/> 4	
Chlorine		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
Lead/Heavy Metals		<input checked="" type="checkbox"/> 1		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 1	<input checked="" type="checkbox"/> 1	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	
Calcium Magnesium (Hard Water)								<input checked="" type="checkbox"/> 3			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Taste/Odor Issues		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
Cysts					<input checked="" type="checkbox"/> 2	<input checked="" type="checkbox"/> 2	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Bacteria							<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Virus										<input checked="" type="checkbox"/>		
Iron								<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
Fluoride							<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	
Chloramines							<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	
Arsenic							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	
Totally Dissolved Solids								<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	

1 - KDF required to get Lead and heavy metals

2- 0.5-1 micron needed for cysts

3- Available, but low capacity

4 - Sediment and Chlorine will foul the membrane and should be removed with a prefilter